



Cactus® Double Coated Tissue Tape

Technical Data Sheet No. C2480

Product Information

Cactus® Double Coated Tissue Tape C2480 is an acrylic solvent based adhesive that offers a high grab adhesive system that provides quick laminating results at a wide temperature range. Ideal for rough surfaces such as foam, metal and plastic materials.

Composition & Physical Properties

Adhesive System	: Solvent Acrylic	Tape Thickness	: 3.5 mil (0.09 ± 0.005 mm)
Carrier	: Tissue	Tack J. Dow No. 12	: FINAT-9 70.54oz/in (2kg/25mm)
Liner Thickness	: 5 mil	Peel Adhesion PSTC-3	: 56.43 oz/inch (1.6kg/25mm)
Liner Material	: Bleached Kraft Paper	Shear Strength PSTC-7	: Over 24 hrs with 35.3 oz loading on 1" x 1" (1.0kg/25mm x 25mm)
Liner Density	: #74 (110 g/m ²)	Heat Resistance	: Over 24 hrs with 17.6 oz loading on 25mm x 25mm at 176°F (80°C)
Liner Color	: White	Service Temperature	: -4°F ~ 248°F (-20°C ~ 120°C)
Tape Color	: White		

Applications

- Various industrial applications - bonding, fixing, laminating and splicing
- Mounting of nameplates, trophies and signs
- Foam lamination (particularly on open-cell PU foam)
- Attachment for stationery / packaging industry

Storage and Shelf Life

For best results, store this product at 72°F (22°C) and 50% relative humidity, use within 2 years from date of receipt.

Disclaimer and Limitation of Liability

In no event shall V. Himark USA and its employees be liable for any direct or indirect, special, incidental or consequential damage resulting from the use of this product. Therefore, it is strongly recommended that the user performs a test application first to determine the suitability of this product for the intended method of application.